Plant Molecular Biology **26**: 2017–2028, 1994.

Contents of Volume 26

Vol. 26 No. 1 October (I) 1994

Editorial ix

News and views

Plant cell division: the beginning of START 1
J.A.H. Murray

Plant hormones and nodulation: what's the connection? 5
A.M. Hirsch, Y. Fang

Dances to a redox tune 11
F. Garcia-Olmedo, M. Piñeiro, I. Diaz

Mini-reviews

Targeting of proteins into and across the thylakoid membrane – a multitude of mechanisms 15
C. Robinson, R.B. Klösgen

Thionins: properties, possible biological roles and mechanisms of action 25
D.E.A. Florack, W.J. Stiekema

The root epidermis-specific pea gene RH2 is homologous to a pathogenesis-related gene 39
P. Mylona, M. Moerman, W.-C. Yang, T. Gloudemans, J. van de Kerckhove, A. van Kammen, T. Bisseling, H.J. Franssen

Insect resistance of transgenic plants that express modified *Bacillus thuringiensis cryIa(b)* and *cryIc* genes: a resistance management strategy 51
T. van der Salm, D. Bosch, G. Honée, L. Feng, E. Munsterman, P. Bakker, W.J. Stiekema, B. Visser

Modification of lignin biosynthesis in transgenic *Nicotiana* through expression of an antisense *O*-methyltransferase gene from *Populus* 61
U.N. Dwivedi, W.H. Campbell, J. Yu, R.S.S. Datla, R.C. Bugos, V.L. Chiang, G.K. Podila

Cloning and characterization of a cathepsin D inhibitor gene from *Solanum tuberosum* L. 73
K. Herbers, S. Prat, L. Willmitzer

The *Chlorella* virus adenine methyltransferase gene promoter is a strong promoter in plants 85
A. Mitra, D.W. Higgins

Differential response of Cu,Zn superoxide dismutases in two pea cultivars during a short-term exposure to sulfur dioxide 95
N.R. Madamanchi, J.L. Donahue, C.L. Cramer, R.G. Alscher, K. Pedersen

Inheritance of polymorphic markers generated by DNA amplification fingerprinting and their use as genetic markers in soybean 105
R.R. Prabhu, P.M. Gresshoff

Reconstitution of the spinach oxygen-evolving complex with recombinant *Arabidopsis* manganese-stabilizing protein 117
S.D. Betts, T.M. Hachigian, E. Pichersky, C.F. Yocum

Characterization and differential expression of *dhn/lea/rab*-like genes during cold acclimation and drought stress in *Arabidopsis thaliana* 131
B.V. Welin, Å. Olson, M. Nylander, E. Tapio Palva

Expression patterns of novel genes encoding homeodomain leucine-zipper proteins in *Arabidopsis thaliana* 145
E. Söderman, J. Mattson, M. Svenson, C. Borkird, P. Engström

Expression of mRNA and steady-state levels of protein isoforms of enoyl-ACP reductase from *Brassica napus* 155
T. Fawcett, W.J. Simon, R. Swinhoe, J. Shanklin, I. Nishida, W.W. Christie, A.R. Slabas

Two newly isolated genes from citrus exhibit a different pattern of diurnal expression and light respons 165
M.A. Abied, D. Holland

Molecular analysis of two Ypt/Rab-related sequences isolated from soybean (*Glycine max*) DNA libraries 175
S. Borg, C. Poulsen

Developmental specific expression and organelle targeting of the *Escherichia coli fabD* gene, encoding malonyl coenzyme A-acyl carrier protein transacylase in transgenic rape and tobacco seeds 189
I.I.G.S. Verwoert, K.H. van der Linden, H.J.J. Nijkamp, A.R. Stuitje

Tissue-specific expression of an oat 12S seed globulin gene in developing tobacco seeds: differential mRNA and protein accumulation 203
R. Schubert, R. Panitz, R. Manteuffel, I. Nagy, U. Wobus, H. Bäumlein

Isolation and characterisation of a maize cDNA that complements a 1-acyl *sn*-glycerol-3-phosphate acyltransferase mutant of *Escherichia coli* and encodes a protein which has similarities to other acyltranferases 211
A.P. Brown, J. Coleman, A.M. Tommey, M.D. Watson, A.R. Slabas

Purification and characterization of pea thioredoxin f expressed in *Escherichia coli* 225
M. Hodges, M. Miginiac-Maslow, P. Decottignies, J.-P. Jacquot, M. Stein, L. Lepiniec, C. Crétin, P. Gadal

Isolation of a pea (*Pisum sativum*) seed lipoxygenase promoter by inverse polymerase chain reaction and characterization of its expression in transgenic tobacco 235
C. Forster, E. Arthur, S. Crespi, S.L.A. Hobbs, P. Mullineaux, R. Casey

Cloning of ω3 desaturase from cyanobacteria and its use in altering the degree of membrane-lipid unsaturation 249
T. Sakamoto, D.A. Los, S. Higashi, H. Wada, I. Nishida, M. Ohmori, N. Murata

The major biotinyl protein from *Pisum sativum* seeds covalently binds biotin at a novel site 265
M. Duval, R.T. DeRose, C. Job, D. Faucher, R. Douce, D. Job

Automated sampling and RNA isolation at room temperature for measurements of circadian rhythms in *Chlamydomonas reinhardtii* 275
S.S. Nikaido, C.R. Locke, D.P. Weeks

Biosynthesis of lysine in plants: the putative role of meso-diaminopimelate dehydrogenase 285
S.P. Chatterjee, B.K. Singh, C. Gilvarg

Targeted deletion of *psaJ* from the cyanobacterium *Synechocystis* sp. PCC 6803 indicates structural interactions between the PsaJ and PsaF subunits of photosystem I 291
Q. Xu, W.R. Odom, J.A. Guikema, V.P. Chitnis, Chitnis

Repression of the *L*-asparaginase gene during nodule development in *Lupinus angustifolius* 303
E. Vincze, J.M. Reeves, E. Lamping, K.J.F. Farnden, P.H.S. Reynolds

Cloning of the *cpcE* and *cpcF* genes from *Synechococcus* sp. PCC 6301 and their inactivation in *Synechococcus* sp. PCC 7942 313
R.P. Bhaleroa, L.K. Lind, P. Gustafsson

Characterisation of the *S*-adenosylmethionine decarboxylase (SAMDC) gene of potato 327
S.A.M. Arif, M.A. Taylor, L.A. George, A.R. Butler, L.R. Burch, H.V. Davies, M.J.R. Stark, A. Kumar

Induction of chilling resistance by water stress, and cDNA sequence analysis and expression of water stress-regulated genes in rice 339
R. Takahashi, N. Joshee, Y. Kitagawa

***Arabidopsis* heat shock factor: isolation and characterization of the gene and the recombinant protein** 353
A. Hübel, F. Schöffl

Transcribed repetitive DNA sequences in telomeric regions of rice (*Oryza sativa*) 363
T. Wu, Y. Wang, R. Wu

Nuclear protein 780BP from cauliflower binds an element in the *780* gene promoter of T-DNA 377
E.C. Adams, W.B. Gurley

Expression of the tobacco Tnt1 retrotransposon promoter in heterologous species 393
P.K. Pauls, K. Kunert, E. Huttner, M.-A. Grandbastien

Jasmonate-inducible expression of a potato cathepsin D inhibitor-GUS gene fusion in tobacco cells 403
A. Ishikawa, T. Yoshihara, K. Nakamura

***rol* genes of *Agrobacterium rhizogenes* cucumopine strain: sequence, effects and pattern of expression** 415
G. Serino, D. Clerot, J. Brevet, P. Costantino, M. Cardarelli

Molecular cloning of cucumber phospho*enol*pyruvate carboxykinase and developmental regulation of gene expression 423
D.-J. Kim, S.M. Smith

Isolation of a *Vicia faba* metallothionein-like gene: expression in foliar trichomes 435
R.C. Foley, K.B. Singh

Short communications

Floral expression of a gene encoding an E2-relatedubiquitin-conjugating protein from *Arabidopsis thaliana* 445
F.Z. Watts, N. Butt, P. Layfield, J. Machuka, J.F. Burke, A.L. Moore

Molecular cloning of two different ACC synthase PCR fragments in carnation flowers and organ-specific expression of the corresponding genes 453
J.A.M. Henskens, G.J.A. Rouwendal, A. ten Have, E.J. Woltering

Characterization of a predominantly pistil-expressed gene encoding a γ-thionin-like protein of *Petunia inflata* 459
B. Karunanandaa, A. Singh, T.-h. Kao

Genetic complementation of a floral homeotic mutation, *apetala3*, with an *Arabidopsis thaliana* gene homologous to *DEFICIENS* of *Antirrhinum majus* 465
H. Okamoto, A. Yano, H. Shiraishi, K. Okada, Y. Shimura

A phenylalanine ammonia-lyase gene from melon fruit: cDNA cloning, sequence and expression in response to development and wounding 473
G. Diallinas, A.K. Kanellis

Regulation of phytochrome A mRNA abundance in parsley seedlings and cell-suspension cultures 481
C. Poppe, B. Ehmann, H. Frohnmeyer, M. Furuya, E. Schäfer

Comparison of soybean and pea *ENOD40* cDNA clones representing genes expressed during both early and late stages of nodule development 487
M. Matvienko, K. van de Sande, W.-C. Yang, A. van Kammen, T. Bisseling, H. Franssen

Molecular cloning and characterisation of grape berry polyphenol oxidase 495
I.B. Dry, S.P. Robinson

Gene family encoding basic pathogenesis-related 1 proteins in barley 503
A. Mouradov, E. Mouradova, K.J. Scott

RNA editing of tobacco *petB* mRNAs occurs both in chloroplasts and non-photosynthetic proplastids 509
T. Hirose, T. Wakasugi, M. Sugiura, H. Kössel

Structural organization of *str* 246C and *str* 246N, plant defense-related genes from *Nicotiana tabacum* 515
D. Froissard, C. Gough, P. Czernic, M. Schneider, A. Toppan, D. Roby, Y. Marco

Molecular characterization of a fourth isoform of the catalytic subunit of protein phosphatase 2A from *Arabidopsis thaliana* 523
A. Casamayor, E. Pérez-Callejón, G. Pujol, J. Ariño, A. Ferrer

Two amidophosphoribosyltransferase genes of *Arabidopsis thaliana* expressed in different organs 529
T. Ito, H. Shiraishi, K. Okada, Y. Shimura

A chimeric gene (*orf256*) is expressed as protein only in cytoplasmic male-sterile lines of wheat 535
J. Song, C. Hedgcoth

Dehydration and ABA increase mRNA levels and enzyme activity of cytosolic GAPDH in the resurrection plant *Craterostigma plantagineum* 541
R. Velasco, F. Salamini, D. Bartels

Sequence announcement 547

Erratum 548

Volume 26 No. 2 October (II) 1994

News and views

Dissecting molecular mechanisms of nodulation: taking a leaf from *Arabidopsis* 549
A. Kolchinsky, R. Funke, P.M. Gresshoff

Experimental and theoretical definition of geminivirus origin of replication 553
G. Argüello-Astorga, L. Herrera-Estrella, R. Rivera-Bustamante

Research articles

Control of *lhc* gene transcription by the circadian clock in *Chlamydomonas reinhardtii* 557
S. Hwang, D.L. Herrin

Tissue-specific differences of the mitochondrial protein import machinery: *in vitro* import, processing and degradation of the pre-$F_1\beta$ subunit of the ATP synthase in spinach leaf and root mitochondria 571
C. Knorpp, M. Hugosson, S. Sjöling, A. Eriksson, E. Glaser

Spatially and temporally regulated expression of the MADS-box gene *AGL2* in wild-type and mutant *arabidopsis* flowers 581
C.A. Flanagan, H. Ma

DNA markers linked to *Malus floribunda* 821 scab resistance 597
B. Koller, L. Gianfranceschi, N. Seglias, J. McDermott, C. Gessler

Nuclear protein factors binding to a class I patatin promoter region are tuber-specific and sucrose-inducible 603
S.Y. Kim, G.D. May, W.D. Park

Structure and promoter analysis of an ABA- and stress-regulated barley gene, *HVA1* 617
P.F. Straub, Q. Shen, T.-h.D. Ho

Purification and PCR-based cDNA cloning of a plastidial n-6 desaturase 631
H. Schmidt, T. Dresselhaus, F. Buck, E. Heinz

The reduced stability of a plant alcohol dehydrogenase is due to the substitution of serine for a highly conserved phenylalanine residue 643
D.F. Garvin, N.F. Weeden, J.J. Doyle

Early flowering and reduced apical dominance result from ectopic expression of a rice MADS box gene 657
Y.-Y. Chung, S.-R. Kim, D. Finkel, M.F. Yanofsky, G. An

Structural organization and differential expression of three stilbene synthase genes located on a 13 kb grapevine DNA fragment 667
W. Wiese, B. Vornam, E. Krause, H. Kindl

Identification of a maize root transcript expressed in the primary response to nitrate: characterization of a cDNA with homology to ferredoxin-NADP$^+$ oxidoreductase 679
S.W. Ritchie, M.G. Redinbaugh, N. Shiraishi, J.M. Vrba, W.H. Campbell

Physical map and gene organization of the mitochondrial genome of *Chondrus crispus* (Rhodophyta, Gigartinales) 691
C. Boyen, C. Leblanc, B. Kloareg, S. Loiseaux-de Goër

Molecular cloning of P-type ATPases on intracellular membranes of the marine alga *Heterosigma akashiwo* 699
M. Wada, M. Shono, O. Urayama, S. Satoh, Y. Hara, Y. Ikawa, T. Fujii

Over-production of the D1 protein of photosystem II reaction centre in the cyanobacterium *Synechococcus* sp. PCC 7942 709
A.J. Soitamo, G. Zhou, A.K. Clarke, G. Öquist, E.-M. Aro, P. Gustafsson

Structure of genes that encode isozymes of aspartate aminotransferase in *Panicum miliaceum* L., a C_4 plant 723
M. Taniguchi, J. Mori, T. Sugiyama

Molecular cloning of hydroxynitrile lyase from *Sorghum bicolor* (L.). Homologies to serine carboxypeptidases 735
H. Wajant, K.-W. Mundry, K. Pfizenmaier

Vascular expression of the *grp1.8* promoter is controlled by three specific regulatory elements and one unspecific activating sequence 747
B. Keller, D. Heierli

Short communications

Molecular diversity of three *S*-allele cDNAs associated with gametophytic self-incompatibility in *Lycopersicon peruvianum* 757
I.K. Chung, T. Ito, H. Tanaka, A. Ohta, M. Takagi

Primary structure of the photosynthetic pyruvate orthophosphate dikinase of the C_3 plant *Flaveria pringlei* and expression analysis of pyruvate orthophosphate dikinase sequences in C_3, C_3-C_4 and C_4 *Flaveria* species 763
E. Rosche, M. Streubel, P. Westhoff

Protection from UV-B-induced DNA damage by flavonoids 771
A. Kootstra

A conserved sequence in internal transcribed spacer 1 of plant nuclear rRNA genes 775
J.-S. Liu, C.L. Schardl

Announcement 779

Volume 26 No. 3 November (I) 1994

Research articles

Reduced ethylene synthesis by transgenic tomatoes expressing *S*-adenosylmethionine hydrolase 781
X. Good, J.A. Kellogg, W. Wagoner, D. Langhoff, W. Matsumura, R.K. Bestwick

Molecular cloning and biochemical characterization of a receptor-like serine/threonine kinase from rice 791
Y. Zhao, X.-H. Feng, J.C. Watson, P.J. Bottino, S.-D. Kung

A dehydrin cognate protein from pea (*Pisum sativum* L.) with an atypical pattern of expression 805
M. Robertson, P.M. Chandler

Genomic organization of the *canrep* repetitive DNA in *Brassica juncea* 817
X. Xia, P.S.C.F. Rocha, G. Selvaraj, H. Bertrand

Environmental stress-mediated differential 3' end formation of chloroplast RNA-binding protein transcripts 833
H. Breiteneder, C.B. Michalowski, H.J. Bohnert

Identification and expression of the chloroplast *clpP* gene in the conifer *Pinus contorta* 851
A.K. Clarke, P. Gustafsson, J.Å. Lidholm

Porphobilinogen deaminase is encoded by a single gene in *Arabidopsis thaliana* and is targeted to the chloroplasts 863
S.H. Lim, M. Witty, A.D.M. Wallace-Cook, L.I. Ilag, A.G. Smith

Identification of potential regulatory elements in the far-upstream region of the *Arabidopsis thaliana* plastocyanin promoter 873
U. Fisscher, P. Weisbeek, S. Smeekens

Organization and characterization of *Cucurbita* phloem lectin genes 887
D.E. Bostwick, M.I. Skaggs, G.A. Thompson

Molecular changes of organelle DNA sequences in rice through dedifferentiation, long-term culture, or the morphogenesis process 899
H. Fukuoka, M. Kawata, F. Takaiwa

Avenacosidase from oat: purification, sequence analysis and biochemical characterization of a new member of the BGA family of β-glucosidases 909
S. Gus-Mayer, H. Brunner, H.A.W. Schneider-Poetsch, W. Rüdiger

Termini and telomeres in T-DNA transformation 923
M. Chiurazzi, E.R. Signer

Organ-specific reduction in the abundance of a mitochondrial protein accompanies fertility restoration in cytoplasmic male-sterile radish 935
S. Krishnasamy, C.A. Makaroff

Domain conservation in several volvocalean cell wall proteins 947
J.P. Woessner, A.J. Molendijk, P. van Egmond, F.M. Klis, U.W. Goodenough, M.A. Haring

Detection of immunologically related Kunitz and Bowman–Birk proteinase inhibitors expressed during potato tuber development 961
C. Mitsumori, K. Yamagishi, K. Fujino, Y. Kikuta

A corolla- and carpel-abundant, non-specific lipid transfer protein gene is expressed in the epidermis and parenchyma of *Gerbera hybrida* var. Regina (Compositae) 971
M. Kotilainen, Y. Helariutta, P. Elomaa, L. Paulin, T.H. Teeri

Isolation and characterization of P-type H^+-ATPase genes from potato 979
K. Harms, R.V. Wöhner, B. Schulz, W.B. Frommer

Short communications

Cloning and expression of the soybean *DapA* gene encoding dihydrodipicolinate synthase 989
G.W. Silk, B.F. Matthews, D.A. Somers, B.G. Gengenbach

Nucleotide sequence analysis of a cDNA clone encoding the 34K movement protein gene of odontoglossum ringspot virus, ORSV-CY, the Korean isolate 995
K.H. Ryu, W.M. Park

Unexpectedly higher expression levels of a chimeric 2S albumin seed protein transgene from a tandem array construct 1001
A. da S. Conceição, A. van Vliet, E. Krebbers

Non-systemic expression of a stress-responsive maize polyubiquitin gene (Ubi-1) in transgenic rice plants 1007
I. Takimoto, A.H. Christensen, P.H. Quail, H. Uchimiya, S. Toka

Characterisation of the cDNA clones of two β-tubulin genes and their expression in the potato plant (*Solanum tuberosum* L.) 1013
M.A. Taylor, F. Wright, H.V. Davies

Erratum 1019

2024

Volume 26 No. 4 November (II) 1994

Mini-review

Expression of engineered antibodies in plant cells 1023
U. Conrad, U. Fiedler

Research articles

Hsp70 heat shock protein cognate is expressed and stored in developing tomato pollen 1031
N.B. Duck, W.R. Folk

Molecular characterization of the DNA-binding and dimerization domains of the bZIP transcription factor, EMbP-1 1041
M.J. Guiltinan, L. Miller

The *ocs* element in the soybean *GH2/4* promoter is activated by both active and inactive auxin and salicylic acid analogues 1055
T. Ulmasov, G. Hagen, T. Guilfoyle

A method for examining expression of homologous genes in plant polyploids 1065
K. Song, T.C. Osborn

Structure of the tomato *Adh2* gene and *Adh2* pseudogenes, and a study of *Adh2* gene expression in fruit 1073
T. Longhurst, E. Lee, R. Hinde, C. Brady, J. Speirs

Partial sequencing and mapping of clones from two maize cDNA libraries 1085
B. Shen, N. Carneiro, I. Torres-Jerez, B. Stevenson, T. McCreery, T. Helentjaris, C. Baysdorfer, E. Almira, R.J. Ferl, J.E. Haben, B. Larkins

Evolutionary relationships among proteins in the phytohemagglutinin-arcelin-α-amylase inhibitor family of the common bean and its relatives 1103
T.E. Mirkov, J.M. Wahlstrom, K. Hagiwara, F. Finardi-Filho, S. Kjemtrup, M.J. Chrispeels

Effects of an antisense napin gene on seed storage compounds in transgenic *Brassica napus* seeds 1115
J. Kohno-Murase, M. Murase, H. Ichikawa, J. Imamura

Characterisation of cDNA and genomic clones encoding homologues of the 65 kDa regulatory subunit of protein phosphatase 2A in *Arabidopsis thaliana* 1125
A.R. Slabas, A.P. Fordham-Skelton, D. Fletcher, J.M. Martinez-Rivas, R. Swinhoe, R.R.D. Croy, I.M. Evans

Molecular analysis of the myosin gene family in *Arabidopsis thaliana* 1139
M. Kinkema, H. Wang, J. Schiefelbein

Molecular characterization of a novel, nuclear-encoded, NAD^+-dependent glyceraldehyde-3-phosphate dehydrogenase in plastids of the gymnosperm *Pinus sylvestris* L. 1155
G. Meyer-Gauen, C. Schnarrenberger, R. Cerff, W. Martin

Pattern and degree of methylation in ribosomal RNA genes of *Cucurbita pepo* L. 1167
R.A. Torres-Ruiz, V. Hemleben

Bean cyclophilin gene expression during plant development and stress conditions 1181
J. Marivet, M. Margis-Pinheiro, P. Frendo, G. Burkard

Molecular cloning of the *Arabidopsis thaliana* sedoheptulose-1,7-biphosphatase gene and expression studies in wheat and *Arabidopsis thaliana* 1191
N.M. Willingham, J.C. Lloyd, C.A. Raines

Short communications

Cloning and expression of a cDNA encoding a cytoplasmic L5 ribosomal protein from alfalfa (*Medicago sativa* L.) 1201
O. Asemota, C. Breda, C. Sallaud, J. El Turk, I. de Kozak, D. Buffard, R. Esnault, A. Kondorosi

PCR cloning and expression analysis of cDNAs encoding cysteine proteinases from germinating seeds of *Vicia sativa* L. 1207
C. Becker, J. Fischer, V.H. Nong, K. Münitz

Lipid transfer protein genes of loblolly pine are members of a complex gene family 1213
C.S. Kinlaw, S.M. Gerttula, M.C. Carter

Molecular analysis of two *Brassica napus* genes expressed in the stigma 1217
L.S. Robert, S. Allard, J.L. Gerster, L. Cass, J. Simmonds

Import of the barley PSI-F subunit into the thylakoid lumen of isolated chloroplasts 1223
M.P. Scott, V. Skovgaard Nielsen, J. Knoetzel, R. Andersen, B. Lindberg Møller

Sharp divergence between wheat and barley at loci encoding novel members of the trypsin/α-amylase inhibitors family 1231
P. Sanchez de la Hoz, A. Castagnaro, P. Carbonero

Volume 26 No. 5 December (I) 1994

Special issue: Signals and Signal Transduction Pathways in Plants

Guest-editor: Klaus Palme

Preface 1237
K. Palme

Transmembrane signalling in eukaryotes: a comparison between higher and lower eukaryotes 1239
A.L. Drayer, P.J.M. van Haastert

Signal transduction in the sexual life of *Chlamydomonas* 1271
L.M. Quarmby

Control of cell proliferation during plant development 1289
P. Ferreira, A. Hemerly, M. van Montagu, D. Inzé

Signal molecules involved in plant embryogenesis 1305
E.D.L. Schmidt, A.J. de Jong, S.C. de Vries

Initial events in phytochrome signalling: still in the dark 1315
T.D. Elich, J. Chory

Mechanical signalling, calcium and plant form 1329
A. Trewavas, M. Knight

Plasmodesmata: composition, structure and trafficking 1343
B.L. Epel

Genetic analyses of signalling in flower development using *Arabidopsis* 1357
K. Okada, Y. Shimura

Oligosaccharins: structures and signal transduction 1379
F. Côté, M.G. Hahn

Role of rhizobial lipo-chitin oligosaccharide signal molecules in root nodule organogenesis 1413
H.P. Spaink, B.J.J. Lugtenberg

Fatty acid signalling in plants and their associated microorganisms 1423
E.E. Farmer

The salicylic acid signal in plants 1439
D.F. Klessig, J. Malamy

Plant hormone conjugation 1459
G. Sembdner, R. Atzorn, G. Schneider

Cytokinin metabolism: implications for regulation of plant growth and development 1483
B. Brzobohatý, I. Moore, K. Palme

Molecular genetics of auxin and cytokinin 1499
L. Hobbie, C. Timpte, M. Estelle

Activation tagging: a means of isolating genes implicated as playing a role in plant growth and development 1521
R. Walden, K. Fritze, H. Hayashi, E. Miklashevichs, H. Harling, J. Schell

Gibberellins: perception, transduction and responses 1529
R. Hooley

Current advances in abscisic acid action and signalling 1557
J. Giraudat, F. Parcy, N. Bertauche, F. Gosti, J. Leung, P.-C. Morris, M. Bouvier-Durand, N. Vartanian

Ethylene biosynthesis and action: a case of conservation 1579
T.I. Zarembinski, A. Theologis

Structure and function of the receptor-like protein kinases of higher plants 1599
J.C. Walker

GTP-binding proteins in plants: new members of an old family 1611
H. Ma

Green circuits – The potential of plant specific ion channels 1637
R. Hedrich, D. Becker

Transporters for nitrogenous compounds in plants 1651
W.B. Frommer, M. Kwart, W.N. Fischer, S. Hummel, O. Ninnemann

Sugar transport across the plasma membranes of higher plants 1671
N. Sauer, K. Baier, M. Gahrtz, R. Stadler, J. Stolz, E. Truernit

Index 1681

Volume 26 No. 6 December (II) 1994

News and views

Closing lecture – ISPMB Congress 1695
J. Schell

Research articles

Coordinate expression of antibody subunit genes yields high levels of functional antibodies in roots of transgenic tobacco 1701
F.A. van Engelen, A. Schouten, J.W. Molthoff, J. Roosien, J. Salinas, W.G. Dirkse, A. Schots, J. Bakker, F.J. Gommers, M.A. Jongsma, D. Bosch, W.J. Stiekema

Expression of the BnmNAP subfamily of napin genes coincides with the induction of *Brassica* microspore embryogenesis 1711
K.A. Boutilier, M.-J. Ginés, J.M. DeMoor, B. Huang, C.L. Baszczynski, V.N. Iyer, B.L. Miki

Functional complementation of a yeast vesicular transport mutation *ypt1-1* by a *Brassica napus* cDNA clone encoding a small GTP-binding protein 1725
Y.S. Park, O.-k. Song, J.M. Kwak, S.W. Hong, H.H. Lee, H.G. Nam

Molecular characterization of rice genes specifically expressed in the anther tapetum 1737
T. Tsuchiya, K. Toriyama, S.-i. Ejiri, K. Hinata

Characterization of the tobacco eIF-4A gene family 1747
G.W. Owttrim, T. Mandel, H. Trachsel, A.A.M. Thomas, C. Kuhlemeier

Field evaluation of transgenic potato plants expressing an antisense granule-bound starch synthase gene: increase of the antisense effect during tuber growth 1759
A.G.J. Kuipers, W.J.J. Soppe, E. Jacobsen, R.G.F. Visser

The C_3 plant *Flaveria pringlei* contains a plastidic NADP-malic enzyme which is orthologous to the C_4 isoform of the C_4 plant *F. trinervia* 1775
B. Lipka, K. Steinmüller, E. Rosche, D. Börsch, P. Westhoff

***In vivo* analysis of intron processing using splicing-dependent reporter gene assays** 1785
J.C. Carle-Urioste, C.H. Ko, M.-I. Benito, V. Walbot

A putative *O*-methyltransferase from barley is induced by fungal pathogens and UV light 1797
P.L. Gregersen, A.B. Christensen, J. Sommer-Knudsen, D.B. Collinge

Biphasic and differential expression of cytosolic glutamine synthetase genes of radish during seed germination and senescence of cotyledons 1807
A. Watanabe, K. Hamada, H. Yokoi, A. Watanabe

Characterisation and expression of the mitochondrial genome of a new type of cytoplasmic male-sterile sunflower 1819
M. Spassova, F. Moneger, C.J. Leaver, P. Petrov, A. Atanassov, H.J.J. Nijkamp, J. Hille

Expression of a single gene encoding microbody NAD-malate dehydrogenase during glyoxysome and peroxisome development in cucumber 1833
D.-J. Kim, S.M. Smith

Characterization of some major identity elements in plant alanine and phenylalanine transfer RNAs 1843
V.T.C. Carneiro, A. Dietrich, L. Maréchal-Drouard, A. Cosset, G. Pelletier, I. Small

Cloning and characterization of maize herbicide safener-induced cDNAs encoding subunits of glutathione S-transferase isoforms I, II and IV 1855
I. Jepson, V.J. Lay, D.C. Holt, S.W.J. Bright, A.J. Greenland

Cloning of an *Arabidopsis thaliana* cDNA coding for farnesyl diphosphate synthase by functional complementation in yeast 1867
D. Delourme, F. Lacroute, F. Karst

A novel anther-expressed *adh*-homologous gene in *Lycopersicon esculentum* 1875
J.C. Ingersoll, M. Rothenberg, B.E. Liedl, K. Folkerts, D. Garvin, M.R. Hanson, J.J. Doyle, M.A. Mutschler

Narrow A/T-rich zones present at the distal 5′-flanking sequences of the zein genes *Zc1*- and *Zc2* bind a unique 30 kDa HMG-like protein 1893
I. Ponte, P. Guillén, R.M. Debón, M. Reina, A. Aragay, E. Espel, N. Di Fonzo, J. Palau

HMG protein binding to an A/T-rich positive regulatory region of the pea plastocyanin gene promoter 1907
K.-H. Pwee, C.I. Webster, J.C. Gray

Expression, tissue distribution and subcellular localization of dehydrin TAS14 in salt-stressed tomato plants 1921
J.A. Godoy, R. Luna, S. Torres-Schumann, J. Moreno, R.M. Rodrigo, J.A. Pintor-Toro

Root- and shoot-specific responses of individual glutamine synthetase genes of maize to nitrate and ammonium 1935
R. Sukanya, M.-g. Li, D.P. Snustad

Identification of domains in an *Arabidopsis* acyl carrier protein gene promoter required for maximal organ-specific expression 1947
S.R. Baerson, M.G. Vander Heiden, G.K. Lamppa

Chloroplast and cytosolic triosephosphate isomerases from spinach: purification, microsequencing and cDNA cloning of the chloroplast enzyme 1961
K. Henze, C. Schnarrenberger, J. Kellermann, W. Martin

Short communications

Isolation and characterization of two β-tubulin cDNA clones from rice 1975
M.C. Kim, M.S. Kang, Y.J. Choi, C.O. Lim, I. Hwang, M.J. Cho

Genes encoding oleosins in maize kernel of inbreds Mo17 and B73 1981
K. Lee, A.H.C. Huang

Cotton (*Gossypium hirsutum* L.) pollen-specific polygalacturonase mRNA: tissue and temporal specificity of its promoter in transgenic tobacco 1989
M.E. John, M.W. Petersen

The expression of a chimeric *Phaseolus vulgaris* nodulin 30-GUS gene is restricted to the rhizobially infected cells in transgenic *Lotus corniculatus* nodules 1995
C. Carsolio, F. Campos, F. Sánchez, M. Rocha-Sosa

Isolation and expression analysis of two rice genes encoding the major intrinsic protein 2003
Q. Liu, M. Umeda, H. Uchimiya

A 6′ gentamicin acetyltransferase gene allows effective selection of tobacco transformants using kanamycin as a substrate 2009
V. Gosselé, R. van Aarssen, M. Cornelissen

Instructions to authors 2013

Contents of volume 26 2017

Author index 2027